

# LARGE EQUIPMENT PAINT BOOTHS

## Crossdraft Booths

Model No.	Inside Dimensions			Outside Dimensions			No. of Lights	Personnel Doors	Product Doors	Exhaust Fan			
	Width	Height	Depth	Width	Height	Depth			Size	Dia.	HP	SCFM	QTY

14-Foot Inside Width														
Non Pre su rize d	LECDG-141430-NSB	14	14	30	15' 4"	14' 8"	30' 4"	15	1	10' W x 12' H	40"	7.5	19,600	1
	LECDG-141434-NSB	14	14	34	15' 4"	14' 8"	34' 4"	15	1	10' W x 12' H	40"	7.5	19,600	1
	LECDG-141440-NSB	14	14	40	15' 4"	14' 8"	40' 4"	20	2	10' W x 12' H	40"	7.5	19,600	1
	LECDG-141444-NSB	14	14	44	15' 4"	14' 8"	44' 4"	20	2	10' W x 12' H	40"	7.5	19,600	1
	LECDG-141450-NSB	14	14	50	15' 4"	14' 8"	50' 4"	25	2	10' W x 12' H	40"	7.5	19,600	1
	LECDG-141454-NSB	14	14	54	15' 4"	14' 8"	54' 4"	25	2	10' W x 12' H	40"	7.5	19,600	1
	LECDG-141460-NSB	14	14	60	15' 4"	14' 8"	60' 4"	30	2	10' W x 12' H	40"	7.5	19,600	1
	LECDG-141464-NSB	14	14	64	15' 4"	14' 8"	64' 4"	30	2	10' W x 12' H	40"	7.5	19,600	1
Pre su rize d	LECDG-141430-PSB	14	14	30	15' 4"	14' 8"	30' 4"	15	1	10' W x 12' H	40"	7.5	19,600	1
	LECDG-141434-PSB	14	14	34	15' 4"	14' 8"	34' 4"	15	1	10' W x 12' H	40"	7.5	19,600	1
	LECDG-141440-PSB	14	14	40	15' 4"	14' 8"	40' 4"	20	2	10' W x 12' H	40"	7.5	19,600	1
	LECDG-141444-PSB	14	14	44	15' 4"	14' 8"	44' 4"	20	2	10' W x 12' H	40"	7.5	19,600	1
	LECDG-141450-PSB	14	14	50	15' 4"	14' 8"	50' 4"	25	2	10' W x 12' H	40"	7.5	19,600	1
	LECDG-141454-PSB	14	14	54	15' 4"	14' 8"	54' 4"	25	2	10' W x 12' H	40"	7.5	19,600	1
	LECDG-141460-PSB	14	14	60	15' 4"	14' 8"	60' 4"	30	2	10' W x 12' H	40"	7.5	19,600	1
	LECDG-141464-PSB	14	14	64	15' 4"	14' 8"	64' 4"	30	2	10' W x 12' H	40"	7.5	19,600	1
16-Foot Inside Width														
Non Pre su rize d	LECDG-161430-NSB	16'	14'	30'	17' 4"	14' 8"	30' 4"	21	1	12' W x 12' H	40"	7.5	22,400	1
	LECDG-161434-NSB	16'	14'	34'	17' 4"	14' 8"	34' 4"	21	1	12' W x 12' H	40"	7.5	22,400	1
	LECDG-161440-NSB	16'	14'	40'	17' 4"	14' 8"	40' 4"	28	2	12' W x 12' H	40"	7.5	22,400	1
	LECDG-161444-NSB	16'	14'	44'	17' 4"	14' 8"	44' 4"	28	2	12' W x 12' H	40"	7.5	22,400	1
	LECDG-161450-NSB	16'	14'	50'	17' 4"	14' 8"	50' 4"	35	2	12' W x 12' H	40"	7.5	22,400	1
	LECDG-161454-NSB	16'	14'	54'	17' 4"	14' 8"	54' 4"	35	2	12' W x 12' H	40"	7.5	22,400	1
	LECDG-161460-NSB	16'	14'	60'	17' 4"	14' 8"	60' 4"	42	2	12' W x 12' H	40"	7.5	22,400	1
	LECDG-161464-NSB	16'	14'	64'	17' 4"	14' 8"	64' 4"	42	2	12' W x 12' H	40"	7.5	22,400	1
	LECDG-161630-NSB	16'	16'	30'	17' 4"	16' 8"	30' 4"	21	1	12' W x 14' H	42"	7.5	25,600	1
	LECDG-161634-NSB	16'	16'	34'	17' 4"	16' 8"	34' 4"	21	1	12' W x 14' H	42"	7.5	25,600	1
	LECDG-161640-NSB	16'	16'	40'	17' 4"	16' 8"	40' 4"	28	2	12' W x 14' H	42"	7.5	25,600	1
	LECDG-161644-NSB	16'	16'	44'	17' 4"	16' 8"	44' 4"	28	2	12' W x 14' H	42"	7.5	25,600	1
	LECDG-161650-NSB	16'	16'	50'	17' 4"	16' 8"	50' 4"	35	2	12' W x 14' H	42"	7.5	25,600	1
	LECDG-161654-NSB	16'	16'	54'	17' 4"	16' 8"	54' 4"	35	2	12' W x 14' H	42"	7.5	25,600	1
	LECDG-161660-NSB	16'	16'	60'	17' 4"	16' 8"	60' 4"	42	2	12' W x 14' H	42"	7.5	25,600	1
	LECDG-161664-NSB	16'	16'	64'	17' 4"	16' 8"	64' 4"	42	2	12' W x 14' H	42"	7.5	25,600	1



Model No.	Inside Dimensions			Outside Dimensions			No. of Lights	Personnel Doors	Product Doors	Exhaust Fan					
	Width	Height	Depth	Width	Height	Depth			Size	Dia.	HP	SCFM	QTY		
<b>16-Foot Inside Width</b>															
Presurized	LECDG-161430-PSB	16'	14'	30'	17' 4"	14' 8"	30' 4"	21	1	12' W x 12' H	40"	7.5	22,400	1	
	LECDG-161434-PSB	16'	14'	34'	17' 4"	14' 8"	34' 4"	21	1	12' W x 12' H	40"	7.5	22,400	1	
	LECDG-161440-PSB	16'	14'	40'	17' 4"	14' 8"	40' 4"	28	2	12' W x 12' H	40"	7.5	22,400	1	
	LECDG-161444-PSB	16'	14'	44'	17' 4"	14' 8"	44' 4"	28	2	12' W x 12' H	40"	7.5	22,400	1	
	LECDG-161450-PSB	16'	14'	50'	17' 4"	14' 8"	50' 4"	35	2	12' W x 12' H	40"	7.5	22,400	1	
	LECDG-161454-PSB	16'	14'	54'	17' 4"	14' 8"	54' 4"	35	2	12' W x 12' H	40"	7.5	22,400	1	
	LECDG-161460-PSB	16'	14'	60'	17' 4"	14' 8"	60' 4"	42	2	12' W x 12' H	40"	7.5	22,400	1	
	LECDG-161464-PSB	16'	14'	64'	17' 4"	14' 8"	64' 4"	42	2	12' W x 12' H	40"	7.5	22,400	1	
	LECDG-161630-PSB	16'	16'	30'	17' 4"	16' 8"	30' 4"	21	1	12' W x 14' H	42"	7.5	25,600	1	
	LECDG-161634-PSB	16'	16'	34'	17' 4"	16' 8"	34' 4"	21	1	12' W x 14' H	42"	7.5	25,600	1	
	LECDG-161640-PSB	16'	16'	40'	17' 4"	16' 8"	40' 4"	28	2	12' W x 14' H	42"	7.5	25,600	1	
	LECDG-161644-PSB	16'	16'	44'	17' 4"	16' 8"	44' 4"	28	2	12' W x 14' H	42"	7.5	25,600	1	
	LECDG-161650-PSB	16'	16'	50'	17' 4"	16' 8"	50' 4"	35	2	12' W x 14' H	42"	7.5	25,600	1	
	LECDG-161654-PSB	16'	16'	54'	17' 4"	16' 8"	54' 4"	35	2	12' W x 14' H	42"	7.5	25,600	1	
LECDG-161660-PSB	16'	16'	60'	17' 4"	16' 8"	60' 4"	42	2	12' W x 14' H	42"	7.5	25,600	1		
LECDG-161664-PSB	16'	16'	64'	17' 4"	16' 8"	64' 4"	42	2	12' W x 14' H	42"	7.5	25,600	1		
<b>18-Foot Inside Width</b>															
Non Presurized	LECDG-181630-NSB	18'	16'	30'	19' 4"	16' 8"	30' 4"	21	1	14' W x 14' H	42"	10	28,800	1	
	LECDG-181634-NSB	18'	16'	34'	19' 4"	16' 8"	34' 4"	21	1	14' W x 14' H	42"	10	28,800	1	
	LECDG-181640-NSB	18'	16'	40'	19' 4"	16' 8"	40' 4"	28	2	14' W x 14' H	42"	10	28,800	1	
	LECDG-181644-NSB	18'	16'	44'	19' 4"	16' 8"	44' 4"	28	2	14' W x 14' H	42"	10	28,800	1	
	LECDG-181650-NSB	18'	16'	50'	19' 4"	16' 8"	50' 4"	35	2	14' W x 14' H	42"	10	28,800	1	
	LECDG-181654-NSB	18'	16'	54'	19' 4"	16' 8"	54' 4"	35	2	14' W x 14' H	42"	10	28,800	1	
	LECDG-181660-NSB	18'	16'	60'	19' 4"	16' 8"	60' 4"	42	2	14' W x 14' H	42"	10	28,800	1	
	LECDG-181664-NSB	18'	16'	64'	19' 4"	16' 8"	64' 4"	42	2	14' W x 14' H	42"	10	28,800	1	
	LECDG-181830-NSB	18'	18'	30'	19' 4"	18' 8"	30' 4"	27	1	14' W x 16' H	48"	10	32,400	1	
	LECDG-181834-NSB	18'	18'	34'	19' 4"	18' 8"	34' 4"	27	1	14' W x 16' H	48"	10	32,400	1	
	LECDG-181840-NSB	18'	18'	40'	19' 4"	18' 8"	40' 4"	36	2	14' W x 16' H	48"	10	32,400	1	
	LECDG-181844-NSB	18'	18'	44'	19' 4"	18' 8"	44' 4"	36	2	14' W x 16' H	48"	10	32,400	1	
	LECDG-181850-NSB	18'	18'	50'	19' 4"	18' 8"	50' 4"	45	2	14' W x 16' H	48"	10	32,400	1	
	LECDG-181854-NSB	18'	18'	54'	19' 4"	18' 8"	54' 4"	45	2	14' W x 16' H	48"	10	32,400	1	
LECDG-181860-NSB	18'	18'	60'	19' 4"	18' 8"	60' 4"	54	2	14' W x 16' H	48"	10	32,400	1		
LECDG-181864-NSB	18'	18'	64'	19' 4"	18' 8"	64' 4"	54	2	14' W x 16' H	48"	10	32,400	1		

The following information is consistent for Crossdraft Large Equipment Paint Booths and is not noted in the table:

- Booth Airflow: 100 FPM
- Exhaust fan static pressure assumes a straight ductrun of no more than 30 feet in length
- Static Pressure: 3/4 inch
- Additional static pressure may be needed to account forelbows, transitions or additional length

Model No.	Inside Dimensions			Outside Dimensions			No. of Lights	Personnel Doors	Product Doors		Exhaust Fan			
	Width	Height	Depth	Width	Height	Depth			Size	Dia.	HP	SCFM	QTY	

<b>18-Foot Inside Width</b>														
-----------------------------	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Presurized	LECDG-181630-PSB	18'	16'	30'	19' 4"	16' 8"	30' 4"	14	1	14' W x 14' H	42"	10	28,800	1
	LECDG-181634-PSB	18'	16'	34'	19' 4"	16' 8"	34' 4"	21	1	14' W x 14' H	42"	10	28,800	1
	LECDG-181640-PSB	18'	16'	40'	19' 4"	16' 8"	40' 4"	21	2	14' W x 14' H	42"	10	28,800	1
	LECDG-181644-PSB	18'	16'	44'	19' 4"	16' 8"	44' 4"	28	2	14' W x 14' H	42"	10	28,800	1
	LECDG-181650-PSB	18'	16'	50'	19' 4"	16' 8"	50' 4"	28	2	14' W x 14' H	42"	10	28,800	1
	LECDG-181654-PSB	18'	16'	54'	19' 4"	16' 8"	54' 4"	35	2	14' W x 14' H	42"	10	28,800	1
	LECDG-181660-PSB	18'	16'	60'	19' 4"	16' 8"	60' 4"	35	2	14' W x 14' H	42"	10	28,800	1
	LECDG-181664-PSB	18'	16'	64'	19' 4"	16' 8"	64' 4"	42	2	14' W x 14' H	42"	10	28,800	1
	LECDG-181830-PSB	18'	18'	30'	19' 4"	18' 8"	30' 4"	18	1	14' W x 16' H	48"	10	32,400	1
	LECDG-181834-PSB	18'	18'	34'	19' 4"	18' 8"	34' 4"	27	1	14' W x 16' H	48"	10	32,400	1
	LECDG-181840-PSB	18'	18'	40'	19' 4"	18' 8"	40' 4"	27	2	14' W x 16' H	48"	10	32,400	1
	LECDG-181844-PSB	18'	18'	44'	19' 4"	18' 8"	44' 4"	36	2	14' W x 16' H	48"	10	32,400	1
	LECDG-181850-PSB	18'	18'	50'	19' 4"	18' 8"	50' 4"	36	2	14' W x 16' H	48"	10	32,400	1
	LECDG-181854-PSB	18'	18'	54'	19' 4"	18' 8"	54' 4"	45	2	14' W x 16' H	48"	10	32,400	1
	LECDG-181860-PSB	18'	18'	60'	19' 4"	18' 8"	60' 4"	45	2	14' W x 16' H	48"	10	32,400	1
LECDG-181864-PSB	18'	18'	64'	19' 4"	18' 8"	64' 4"	54	2	14' W x 16' H	48"	10	32,400	1	

<b>20-Foot Inside Width</b>														
-----------------------------	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Non Presurized	LECDG-201630-NSB	20'	16'	30'	21' 4"	16' 10"	30' 4"	21	1	16' W x 14' H	48"	10	32,000	1
	LECDG-201634-NSB	20'	16'	34'	21' 4"	16' 10"	34' 4"	21	1	16' W x 14' H	48"	10	32,000	1
	LECDG-201640-NSB	20'	16'	40'	21' 4"	16' 10"	40' 4"	28	2	16' W x 14' H	48"	10	32,000	1
	LECDG-201644-NSB	20'	16'	44'	21' 4"	16' 10"	44' 4"	28	2	16' W x 14' H	48"	10	32,000	1
	LECDG-201650-NSB	20'	16'	50'	21' 4"	16' 10"	50' 4"	35	2	16' W x 14' H	48"	10	32,000	1
	LECDG-201654-NSB	20'	16'	54'	21' 4"	16' 10"	54' 4"	35	2	16' W x 14' H	48"	10	32,000	1
	LECDG-201660-NSB	20'	16'	60'	21' 4"	16' 10"	60' 4"	42	2	16' W x 14' H	48"	10	32,000	1
	LECDG-201664-NSB	20'	16'	64'	21' 4"	16' 10"	64' 4"	42	2	16' W x 14' H	48"	10	32,000	1

	LECDG-201830-NSB	20'	18'	30'	21' 4"	18' 10"	30' 4"	27	1	16' W x 16' H	36"	7.5	36,000	2
	LECDG-201834-NSB	20'	18'	34'	21' 4"	18' 10"	34' 4"	27	1	16' W x 16' H	36"	7.5	36,000	2
	LECDG-201840-NSB	20'	18'	40'	21' 4"	18' 10"	40' 4"	36	2	16' W x 16' H	36"	7.5	36,000	2
	LECDG-201844-NSB	20'	18'	44'	21' 4"	18' 10"	44' 4"	36	2	16' W x 16' H	36"	7.5	36,000	2
	LECDG-201850-NSB	20'	18'	50'	21' 4"	18' 10"	50' 4"	45	2	16' W x 16' H	36"	7.5	36,000	2
	LECDG-201854-NSB	20'	18'	54'	21' 4"	18' 10"	54' 4"	45	2	16' W x 16' H	36"	7.5	36,000	2
	LECDG-201860-NSB	20'	18'	60'	21' 4"	18' 10"	60' 4"	54	2	16' W x 16' H	36"	7.5	36,000	2
	LECDG-201864-NSB	20'	18'	64'	21' 4"	18' 10"	64' 4"	54	2	16' W x 16' H	36"	7.5	36,000	2
Pr es sur siz ed	LECDG-201630-PSB	20'	16'	30'	21' 4"	16' 10"	30' 4"	14	1	16' W x 14' H	48"	10	32,000	1
	LECDG-201634-PSB	20'	16'	34'	21' 4"	16' 10"	34' 4"	21	1	16' W x 14' H	48"	10	32,000	1
	LECDG-201640-PSB	20'	16'	40'	21' 4"	16' 10"	40' 4"	21	2	16' W x 14' H	48"	10	32,000	1
	LECDG-201644-PSB	20'	16'	44'	21' 4"	16' 10"	44' 4"	28	2	16' W x 14' H	48"	10	32,000	1
	LECDG-201650-PSB	20'	16'	50'	21' 4"	16' 10"	50' 4"	28	2	16' W x 14' H	48"	10	32,000	1
	LECDG-201654-PSB	20'	16'	54'	21' 4"	16' 10"	54' 4"	35	2	16' W x 14' H	48"	10	32,000	1
	LECDG-201660-PSB	20'	16'	60'	21' 4"	16' 10"	60' 4"	35	2	16' W x 14' H	48"	10	32,000	1
	LECDG-201664-PSB	20'	16'	64'	21' 4"	16' 10"	64' 4"	42	2	16' W x 14' H	48"	10	32,000	1
	LECDG-201830-PSB	20'	18'	30'	21' 4"	18' 10"	30' 4"	18	1	16' W x 16' H	36"	7.5	36,000	2
	LECDG-201834-PSB	20'	18'	34'	21' 4"	18' 10"	34' 4"	27	1	16' W x 16' H	36"	7.5	36,000	2
	LECDG-201840-PSB	20'	18'	40'	21' 4"	18' 10"	40' 4"	27	2	16' W x 16' H	36"	7.5	36,000	2
	LECDG-201844-PSB	20'	18'	44'	21' 4"	18' 10"	44' 4"	36	2	16' W x 16' H	36"	7.5	36,000	2
	LECDG-201850-PSB	20'	18'	50'	21' 4"	18' 10"	50' 4"	36	2	16' W x 16' H	36"	7.5	36,000	2
	LECDG-201854-PSB	20'	18'	54'	21' 4"	18' 10"	54' 4"	45	2	16' W x 16' H	36"	7.5	36,000	2
LECDG-201860-PSB	20'	18'	60'	21' 4"	18' 10"	60' 4"	45	2	16' W x 16' H	36"	7.5	36,000	2	
LECDG-201864-PSB	20'	18'	64'	21' 4"	18' 10"	64' 4"	54	2	16' W x 16' H	36"	7.5	36,000	2	

The following information is consistent for Crossdraft Large Equipment Paint Booths and is not noted in the table:

- Booth Airflow: 100 FPM
- Exhaust fan static pressure assumes a straight duct run of no more than 30 feet in length
- Static Pressure: 3/4 inch
- Additional static pressure may be needed to account for elbows, transitions or additional length

## Side Downdraft Booths

Model No.	Inside Dimensions			Outside Dimensions			No. of Lights	Personnel Doors	Product Doors	Exhaust Fan			
	Width	Height	Depth	Width	Height	Depth			Size	Dia.	HP	SCFM	
<b>16-Foot Inside Width</b>													
Non Pressurized	LESDG-161640-NSB	16'	16'	40'	24' 4"	16' 8"	40' 4"	24	2	12' W x 14' H	30"	3	32,000
	LESDG-161650-NSB	16'	16'	50'	24' 4"	16' 8"	50' 4"	30	2	12' W x 14' H	30"	5	40,000
	LESDG-161660-NSB	16'	16'	60'	24' 4"	16' 8"	60' 4"	36	2	12' W x 14' H	34"	5	48,000
Pressurized	LESDG-161640-PSB	16'	16'	40'	24' 4"	19' 8"	40' 4"	24	2	12' W x 14' H	30"	3	32,000
	LESDG-161650-PSB	16'	16'	50'	24' 4"	19' 8"	50' 4"	30	2	12' W x 14' H	30"	5	40,000
	LESDG-161660-PSB	16'	16'	60'	24' 4"	19' 8"	60' 4"	36	2	12' W x 14' H	34"	5	48,000
<b>18-Foot Inside Width</b>													
Non Pressurized	LESDG-181640-NSB	18'	16'	40'	26' 4"	16' 8"	40' 4"	28	2	14' W x 14' H	30"	5	36,000
	LESDG-181650-NSB	18'	16'	50'	26' 4"	16' 8"	50' 4"	35	2	14' W x 14' H	34"	5	45,000
	LESDG-181660-NSB	18'	16'	60'	26' 4"	16' 8"	60' 4"	42	2	14' W x 14' H	36"	5	54,000
	LESDG-181840-NSB	18'	18'	40'	26' 4"	18' 8"	40' 4"	36	2	14' W x 16' H	30"	5	36,000
	LESDG-181850-NSB	18'	16'	50'	26' 4"	18' 8"	50' 4"	45	2	14' W x 16' H	34"	5	45,000
	LESDG-181860-NSB	18'	16'	60'	26' 4"	18' 8"	60' 4"	54	2	14' W x 16' H	36"	5	54,000
Pressurized	LESDG-181640-PSB	18'	16'	40'	26' 4"	19' 8"	40' 4"	28	2	14' W x 14' H	30"	5	36,000
	LESDG-181650-PSB	18'	16'	50'	26' 4"	19' 8"	50' 4"	35	2	14' W x 14' H	34"	5	45,000
	LESDG-181660-PSB	18'	16'	60'	26' 4"	19' 8"	60' 4"	42	2	14' W x 14' H	36"	5	54,000
	LESDG-181840-PSB	18'	18'	40'	26' 4"	21' 8"	40' 4"	36	2	14' W x 16' H	30"	5	36,000
	LESDG-181850-PSB	18'	18'	50'	26' 4"	21' 8"	50' 4"	45	2	14' W x 16' H	34"	5	45,000
	LESDG-181860-PSB	18'	18'	60'	26' 4"	21' 8"	60' 4"	54	2	14' W x 16' H	36"	5	54,000
<b>20-Foot Inside Width</b>													
Non Pressurized	LESDG-201640-NSB	20'	16'	40'	28' 4"	16' 8"	40' 4"	28	2	16' W x 14' H	30"	5	40,000
	LESDG-201650-NSB	20'	16'	50'	28' 4"	16' 8"	50' 4"	35	2	16' W x 14' H	34"	5	50,000
	LESDG-201660-NSB	20'	16'	60'	28' 4"	16' 8"	60' 4"	42	2	16' W x 14' H	36"	5	60,000
Pressurized	LESDG-201640-PSB	20'	16'	40'	28' 4"	19' 8"	40' 4"	28	2	16' W x 14' H	48"	5	40,000
	LESDG-201650-PSB	20'	16'	50'	28' 4"	19' 8"	50' 4"	35	2	16' W x 14' H	48"	5	50,000
	LESDG-201660-PSB	20'	16'	60'	28' 4"	19' 8"	60' 4"	42	2	16' W x 14' H	48"	5	60,000

The following information is consistent for Side Downdraft Large Equipment Paint Booths and is not noted in the table:

- Booth Airflow: 50 FPM
- Exhaust fan static pressure assumes a straight duct run of no more than 30 feet in length
- Exhaust Fans: 4
- Static Pressure: 3/4 inch
- Additional static pressure may be needed to account for elbows, transitions or additional length

## Downdraft Booths

	Model No.	Inside Dimensions			Outside Dimensions			No. of Lights	Personnel Doors	Product Doors	Exhaust Fan		
		Width	Height	Depth	Width	Height	Depth			Size	Dia.	HP	SCFM
<b>16-Foot Inside Width</b>													
Non Pressurized	LEDDG-161640-NSB	16'	16'	40'	17' 4"	16' 8"	40' 4"	24	2	12' W x 14' H	40"	5	32,000
	LEDDG-161650-NSB	16'	16'	50'	17' 4"	16' 8"	50' 4"	30	2	12' W x 14' H	42"	7.5	40,000
	LEDDG-161660-NSB	16'	16'	60'	17' 4"	16' 8"	60' 4"	36	2	12' W x 14' H	42"	7.5	48,000
Pre ssurized	LEDDG-161640-PSB	16'	16'	40'	17' 4"	19' 8"	40' 4"	24	2	12' W x 14' H	40"	5	32,000
	LEDDG-161650-PSB	16'	16'	50'	17' 4"	19' 8"	50' 4"	30	2	12' W x 14' H	42"	7.5	40,000
	LEDDG-161660-PSB	16'	16'	60'	17' 4"	19' 8"	60' 4"	36	2	12' W x 14' H	42"	7.5	48,000
<b>18-Foot Inside Width</b>													
Non Pressurized	LEDDG-181640-NSB	18'	16'	40'	19' 4"	16' 8"	40' 4"	28	2	14' W x 14' H	40"	7.5	36,000
	LEDDG-181650-NSB	18'	16'	50'	19' 4"	16' 8"	50' 4"	35	2	14' W x 14' H	42"	7.5	45,000
	LEDDG-181660-NSB	18'	16'	60'	19' 4"	16' 8"	60' 4"	42	2	14' W x 14' H	42"	7.5	54,000
	LEDDG-181840-NSB	18'	18'	40'	19' 4"	18' 8"	40' 4"	36	2	14' W x 16' H	40"	7.5	36,000
	LEDDG-181850-NSB	18'	18'	50'	19' 4"	18' 8"	50' 4"	45	2	14' W x 16' H	42"	7.5	45,000
	LEDDG-181860-NSB	18'	18'	60'	19' 4"	18' 8"	60' 4"	54	2	14' W x 16' H	42"	7.5	54,000
Pre ssurized	LEDDG-181640-PSB	18'	16'	40'	19' 4"	19' 8"	40' 4"	28	2	14' W x 14' H	40"	7.5	36,000
	LEDDG-181650-PSB	18'	16'	50'	19' 4"	19' 8"	50' 4"	35	2	14' W x 14' H	42"	7.5	45,000
	LEDDG-181660-PSB	18'	16'	60'	19' 4"	19' 8"	60' 4"	42	2	14' W x 14' H	42"	7.5	54,000
	LEDDG-181840-PSB	18'	18'	40'	19' 4"	21' 8"	40' 4"	36	2	14' W x 16' H	40"	7.5	36,000
	LEDDG-181850-PSB	18'	18'	50'	19' 4"	21' 8"	50' 4"	45	2	14' W x 16' H	42"	7.5	45,000
	LEDDG-181860-PSB	18'	18'	60'	19' 4"	21' 8"	60' 4"	54	2	14' W x 16' H	42"	7.5	54,000
<b>20-Foot Inside Width</b>													
Non Pressurized	LEDDG-201640-NSB	20'	16'	40'	21' 4"	16' 8"	40' 4"	28	2	16' W x 14' H	42"	7.5	40,000
	LEDDG-201650-NSB	20'	16'	50'	21' 4"	16' 8"	50' 4"	35	2	16' W x 14' H	42"	10	50,000
	LEDDG-201660-NSB	20'	16'	60'	21' 4"	16' 8"	60' 4"	42	2	16' W x 14' H	48"	10	60,000
Pre ssurized	LEDDG-201640-PSB	20'	16'	40'	21' 4"	19' 8"	40' 4"	28	2	16' W x 14' H	42"	7.5	40,000
	LEDDG-201650-PSB	20'	16'	50'	21' 4"	19' 8"	50' 4"	35	2	16' W x 14' H	42"	10	50,000
	LEDDG-201660-PSB	20'	16'	60'	21' 4"	19' 8"	60' 4"	42	2	16' W x 14' H	48"	10	60,000

The following information is consistent for Downdraft Large Equipment Paint Booths and is not noted in the table:

- Booth Airflow: 50 FPM
- Exhaust fan static pressure assumes a straight duct run of no more than 30 feet in length
- Exhaust Fans: 2
- Static Pressure: 3/4 inch
- Additional static pressure may be needed to account for elbows, transitions or additional length